



Drawings part + Text part =

# REACTIK® +



SMART



FCC ID - IC



115 g

Multi-beam, rechargeable, intelligent headlamp that is connected, thanks to the MyPetzl Light® mobile app. It features REACTIVE LIGHTING technology, which automatically adjusts brightness to the needs of the user.

Lampe frontale multifaisceau, rechargeable, intelligente et connectée grâce à l'application mobile MyPetzl Light®. Dotée de la technologie REACTIVE LIGHTING, elle adapte automatiquement l'intensité lumineuse aux besoins de l'utilisateur.

## General info on Petzl lamps and batteries

Généralités lampes et batteries Petzl

### A. Rechargeable battery precautions

Précautions d'usage batterie rechargeable



### B. Lamp precautions

Précautions lampes



### C. Cleaning - Drying

Nettoyage - Séchage




### D. Storage - Transport

Stockage - transport

## Nomenclature


Nomenclature



## LED risk group 2 - IEC 62471



Do not stare at operating lamp.  
May be harmful to the eyes.  
Ne regardez pas fixement le faisceau de la lampe de face.  
Peut être dangereux pour les yeux.



## Lighting performance - burn time

Performances d'éclairage - autonomie

	MAX AUTONOMY	STANDARD	MAX POWER
	80 lumens	70 m	10 h
	170 lumens	90 m	5 h
	300 lumens	110 m	2 h 30
	30 lumens	35 m	15 h
	100 lumens	70 m	6 h
	200 lumens	90 m	2 h
	2 lumens To see Voir 8 m To be seen Etre vu 1 km	8 m 1 km	30 h
	2 lumens To see Voir 8 m To be seen Etre vu 1 km	8 m 1 km	60 h

2h at 15lm of additional reserve lighting / mode réserve 2h à 15lm en sus.

## Compliant to Energy-related Products Directive (ErP) 2009/125/EC

- Instant full light
- Colour temperature: 5700-7000K
- Nominal beam angle: 12° sharp angle - 27° broad angle (REACTIK +)
- Number of switching cycles before premature failure: 13000 mini.

PETZL.COM



Latest version



Other languages



Technical tips

PETZL  
F-38920 Crolles  
**PETZL.COM**  
ISO 9001  
© Petzl  
Made in Bulgaria



Sustaining our Community  
Au service de la Communauté  
**FONDATION-PETZL.ORG**



## Accessories / Accessoires

**Accu REACTIK® +**  
Accu REACTIK® +

**Spare headband REACTIK® +**  
Bandeau de recharge REACTIK® +



Drawings part + Text part =

## REACTIK® / REACTIK® +



Bluetooth SMART



Individual functioning test

REACTIVE LIGHTING technology



IP X4 water resistant




USB rechargeable

Lock the headlamp switch during storage and transport to avoid accidentally turning on the lamp.

Verrouillez la lampe lors des transports et stockage pour éviter tout risque d'allumage imprévisible.

LOCK/  
UNLOCK



2 sec.

RED SIGNAL





2 sec.



E0002400C (190916)



Charge the battery completely before the first use.  
Chargez complètement la batterie avant la première utilisation.



OFF

2 sec.


BATTERY

GREEN ☀ 66 - 100%  
YELLOW ☀ 33 - 66%  
RED ☀ < 33 %

Charging the rechargeable battery  
Batterie rechargeable - charge

USB 5V CE/UL

Customize your headlamp (REACTIK® + only)  
Personnalisation de votre lampe (REACTIK® + seulement)



4 sec.

1. Downloading the app  
Téléchargement de l'application



App Store  
or/ou  
Google Play

Attention: requires iOS 7.1 or later, Android 4.3 or later.  
Attention : nécessite iOS supérieur ou égal à 7.1, Android supérieur ou égal à 4.3.

2. Pairing  
Jumelage



