


Lamp operation

Switching on & off / Allumer, éteindre



OFF **ON**

Technology / Technologie



1. REACTIVE LIGHTING
2. CONSTANT LIGHTING
3. RED LIGHTING

Mode / Mode



1. MAX AUTONOMY
2. STANDARD
3. MAX POWER

BOOST



3 year guarantee (except 1 year for battery)

TIKKA RXP



Individual functioning test

IPX4

Water
resistant

REACTIVE
LIGHTING
technology



115 g


Charge completely the battery before the first use.
Chargez complètement la batterie avant la première utilisation.



LED risk group 2 - IEC 62471
Do not stare at operating lamp.
May be harmful to the eyes.
Ne regardez pas fixement le faisceau de la lampe de face.
Peut être dangereux pour les yeux.



Nomenclature / Nomenclature



Lighting performance - battery life Performances d'éclairage - autonomie

MAX AUTONOMY	80 	70 ↔ 2 m	10 h mini.
STANDARD	160 	90 ↔ 2 m	5 h mini.
MAX POWER	215 	110 ↔ 2 m	2 h 30 mini.
REACTIVE LIGHTING	45 lumens	25 m	10 h
CONSTANT LIGHTING	100 lumens	75 m	5 h
RED LIGHTING	150 lumens	100 m	2 h 30
			30 h
			90 h

1h at 25lm of additional reserve lighting / mode réserve 1 h à 25 lm en sus

PETZL.COM



Latest
version




Other
languages



Charging the rechargeable battery

Batterie rechargeable - charge



USB 5V



Accessories

Accessoires

Accu TIKKA R / Accu TIKKA R

E92200

Battery pack TIKKA R / Boîtier piles TIKKA R

E92300

General info on Petzl lamps and batteries

Généralités lampes et batteries Petzl

A. Rechargeable battery precautions

Précautions batterie rechargeable



B. Lamp precautions / Précautions lampes



C. Cleaning - Drying / Nettoyage - Séchage



D. Storage - Transport

Stockage - transport

+ 25°C / + 77°F
+ 20°C / + 68°F



E. Protecting the environment

Protection de l'environnement



F. Modifications - Repairs

Modifications - Réparations



G. FAQ - Contact

Questions - Contact



